

ENGR. NODE LOCATIONS

FOOTING REACTIONS:
VERTICAL. (DOWNWARD) = 4,061 LBS.
VERTICAL (UPLIFT) = 1,857 LBS.
HORIZONTAL = 2,108 LBS.

NOTES:
1. THE ENCLOSURE REQUIRES A SQUARE & LEVEL SURFACE TO +/- 1/8"
2. ALL KNEEWALLS & OPENINGS IN KNEEWALL ARE TO BE SQUARE & PLUMB TO +/- 1/8"
3. THE LOCATION & SITE WORK MUST COMPLY WITH LOCAL BUILDING CODES AND ZONING ORDINANCES. THE SITE CONDITIONS SHOULD ALLOW THE INSTALLATION CREW TO ACCESS THE WORK AREA SAFELY AND EFFICIENTLY... SUCH AS BACK FILLING AROUND FOUNDATIONS, UNLOADING. ETC/
4. FOOTING DEPTHS AND SIZE ARE TO BE PER LOCAL BUILDING CODES/FROST LINE ETC.
5. MEASURE ALL FOUNDATIONS DIAGONALLY FOR SQUARNESS.
6. CONCRETE DECK MUST BE POURED BEFORE DELIVERY. (FOR ROLLING SCAFFOLDING).
7. THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE PER JOB WITHOUT NOTIFICATION.
8. ANY DELAYS INCURRED DUE TO FAULTY JOB SITE CONDITIONS; CONCRETE, EXISTING BLDGS. ABUTTING TO ENCLOSURE, ETC... EXPENSES WILL BE BACK-CHARGED TO THE CUSTOMER.
9. REVIEW FOOTING DETAILS THOROUGHLY, MIN. WIDTH, ADEQUATE REVEAL, ETC.
10. IMPORTANT... ALL CONCRETE WORK IS THE RESPONSIBILITY OF OWNER OR G. C.



THRU SECTION A/1



FOUNDATION PLAN



ROOF PLAN



FLOOR PLAN

SEE DETAIL

SECTION VIEW
COLUMN & GRADE BEAM





GABLE ELEV.



TYPICAL SIDEWALL ELEV.



SEGMENTED ELEV.

FIXED 1" CLEAR INSULATED
TEMPERED INSULATED GLASS

(2) 6068 SLIDING GLASS DOORS
WITH CLEAR TEMP. I.G. & SCREEN DR.

(4) 6040 SLIDING WINDOWS
WITH CLEAR TEMP. I.G. & SCREEN

STD. FRAME COLOR: WHITE DURACRON (BAKED ENAMEL)

DESIGN LOADS:
LIVE - 40 PSF
DEAD - 5 PSF
WIND - 90 MPH

58 Blue Heron Dr.
Mills River, NC. 28759
ph.828-808-3991
fax 828-891-7796

©COPYRIGHT 2002 POOL ENCLOSURES, INC. THIS DRAWING IS THE PROPERTY OF POOL ENCLOSURES, INC.(D.B.A.PEI) AND EMBODIES CONFIDENTIAL INFORMATION, TRADE SECRET INFORMATION, AND/OR KNOW-HOW WHICH IS THE PROPERTY OF PEI. BY ACCEPTING THIS DRAWING THE RECIPIENT AGREES NOT TO PROVIDE, OR OTHERWISE MAKE AVAILABLE, THE DRAWING, OR ANY INFORMATION OR KNOW-HOW EMBODIED THERIN TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN AUTHORIZATION.

DRAWN BY:	BILL KATER
SCALE	3/32"=FT.
DATE	
SHEET	1 OF
DESCRIPTION	GABLE ATTACHED SEGMENTED POOL ENCL.
JOB NAME	
DRAWING NO.	SEG-30X45